

Impact of Climate on Soil Micromorphology

Nishitha Reddy, Manisha Ranwa, Tapas Moi, Deepak and Nisha Sahu

ICAR-Indian Institute of Soil Science, Berasia Road, Nabibagh, Bhopal

Introduction

Soil micromorphology:

Soil micromorphology refers to the study of soil features at a microscopic level, which includes the arrangement of soil particles, the presence of organic matter, and the characteristics of pore spaces. Climate change significantly impacts these features, influencing soil formation, degradation processes, and overall soil health. This assignment explores the various ways climate affects soil micromorphology through changes in temperature, precipitation patterns, and vegetation dynamics. The intricate relationship between climate and soil micromorphology is a complex and multifaceted topic that has garnered significant attention in recent years. As the global climate continues to undergo profound changes, it is crucial to understand how these alterations impact the delicate balance of soil composition, structure, and biological activity. By delving deeper into the subject, we can gain valuable insights into the long-term implications of climate change on soil health and ecosystem resilience.

Soil micromorphology encompasses various features that describe the structure and composition of soils at a microscopic level. Here are the key features typically studied:

1. Soil Structure and Fabric

- **Fabric:** Refers to the spatial arrangement of soil constituents, including solid materials, pores, and their shapes and sizes. It is critical for understanding how soil particles interact and influence water movement and root growth.
- **Birefringence Fabric (b-fabric):** Patterns of orientation and distribution of interference colours observed in micro mass under polarized light, indicating the arrangement of particles.

2. Groundmass

- The groundmass consists of coarse and fine materials that form the basic matrix of soil in thin sections. It serves as a foundation for identifying other soil features.

3. Microfacies

- Microfacies are bodies of sediment visible in thin sections, characterized by distinct microscopic attributes such as composition, grain size, and sedimentary structures that differentiate them from surrounding materials.



4. Pedofeatures

- These are discrete fabric units within soil material, characterized by varying concentrations of components or distinct internal fabrics compared to the adjacent groundmass.

5. Pores and Voids

- The distribution and characteristics of pores (spaces between soil particles) are crucial for assessing soil aeration, water retention, and root penetration.

6. Coatings and Impregnations

- Soil particles may have coatings (such as clay or organic matter) that influence their behaviour in terms of nutrient retention and microbial activity. Impregnations refer to materials that fill voids or adhere to particle surfaces.

7. Concretions and Nodules

- These are localized accumulations of minerals (like iron or calcium) that can indicate specific soil formation processes or environmental conditions.

8. Evidence of Translocated Materials

- Features indicating the movement of materials within the soil profile, such as clay illuviation (movement from upper to lower horizons), which can affect soil fertility and structure.

9. Seasonal Changes

- Ageebet *al.*, 2019 stated that micromorphological features can vary with seasons due to processes like crystallization or dissolution of soluble minerals, structural changes, and organic matter decomposition stages.

These features collectively provide insights into soil genesis, health, fertility, and ecological functions, making micromorphology an essential tool in soil science studies

Effects of Climate Change on Soil Properties:

- **Temperature Changes:**

Increased temperatures accelerate soil processes, including organic matter decomposition and nutrient release. Warmer soil temperatures enhance microbial activity, which can lead to changes in soil structure and composition. For instance, rapid decomposition of organic matter may reduce soil organic carbon levels, affecting soil stability and fertility.

- **Altered Precipitation Patterns:**

Climate change leads to more intense and variable precipitation events. Heavy rainfall can cause soil erosion and disrupt the arrangement of soil aggregates. This can lead to the formation of compacted layers and increased runoff, which further degrades soil quality. The impact of these changes is particularly pronounced in areas experiencing extreme weather events, such as "rain bombs," which can destroy soil aggregates and alter soil microstructure.

Soil Moisture Regime

The soil moisture regime is critically influenced by climate. Changes in temperature and precipitation directly affect the water balance in soils. For example, increased evaporation rates due to higher temperatures can lead to drier soils, which may impact soil structure and microbial communities. Conversely, excessive rainfall can saturate soils, leading to anaerobic conditions that affect nutrient cycling and soil health.

- **Vegetation Dynamics:**

Changes in climate affect vegetation patterns, which in turn influence soil micromorphology. As certain plant species become less viable due to changing climate conditions, the loss of vegetation can lead to increased soil erosion and changes in the organic matter content of the soil. This shift can alter the soil's physical and chemical properties, including its moisture retention capacity and nutrient availability.

Micromorphological Changes:

- **Aggregate Stability:**

Brevik, 2013, stated that climate-induced changes can affect the stability of soil aggregates. For instance, the impact of heavy rainfall can lead to aggregate breakdown, resulting in finer soil particles that are more susceptible to erosion. This change can drastically alter the soil's ability to retain moisture and support plant life (Zhou *et al.*, 2023)

- **Pore Structure:**

The arrangement and size of soil pores are crucial for water movement and aeration. Climate change can lead to the compaction of soils, reducing pore space and affecting water infiltration rates. This can create a feedback loop, where poor soil structure leads to reduced plant growth, further exacerbating soil degradation.

- **Organic Matter Distribution:**

Qafoku, 2014, described that changes in climate can influence the distribution and composition of organic matter within the soil. For example, increased temperatures may accelerate the breakdown of organic materials, leading to a decline in soil organic carbon levels. This decrease can affect soil fertility and its ability to support diverse microbial communities (Li *et al.*, 2023).

Effects on Soil Microbial Communities

- **Microbial Interactions:**

Climate change significantly affects soil microbial communities and their interactions with plants. Changes in plant diversity due to climate stressors can destabilize these communities, impacting essential ecological functions such as nutrient cycling and organic matter decomposition (Daramola *et al.*, 2024).

- **Nutrient Transformation:**

Brinkman and Sombroek, 1996, stated that rising temperatures may accelerate the decomposition of organic matter by soil microorganisms, which can lead to a decline in soil organic carbon (SOC) storage. This process is critical as it influences nutrient availability for plants and overall soil health.

- **Adaptation Mechanisms:**

Understanding how microbial communities adapt to climate-induced stresses is crucial for predicting changes in soil functionality. Research emphasizes the need for



further studies on how these communities respond to shifting climatic conditions to better assess their resilience and role in ecosystem stability.

Conclusion

The impact of climate on soil micromorphology is multifaceted, involving complex interactions between temperature, precipitation, vegetation, and soil properties. Understanding these dynamics is essential for developing effective soil management strategies in the face of climate change. Continued research is necessary to elucidate the specific mechanisms through which climate affects soil micromorphology and to identify adaptive measures that can mitigate these impacts.

References:

- Ageeb, G. W., Taalab, A. S., Siam, H. S., & Mahmoud, S. A. (2019). Micromorphological study of pedological soil features: a review. *Plant Archives*, 19(2), 2368-2372.
- Brevik, E. C. (2013). The potential impact of climate change on soil properties and processes and corresponding influence on food security. *Agriculture*, 3(3), 398-417.
- Brinkman, R., & Sombroek, W. G. (1996). The effects of global change on soil conditions in relation to plant growth and food production. *Global climate change and agricultural production*, 49-63.
- Daramola, F. Y., Osemwegie, O. O., Ighodaro, I. D., Kioko, J., & Lewu, F. B. (2024). Impacts of Climate Change on Soil Microbial Interactions: Echoes of the New Normal. *AGRIVITA Journal of Agricultural Science*, 46(1), 183-195.
- Li, J., Sun, B., Liu, C., Drosos, M., Zhang, X., Liu, X., ... & Pan, G. (2023). Legacy effect of long-term elevated CO₂ and warming on soil properties controls soil organic matter decomposition. *Agriculture*, 13(3), 639.
- Qafoku, N. P. (2014). *Overview of different aspects of climate change effects on soils* (No. PNNL-23483). Pacific Northwest National Lab.(PNNL), Richland, WA (United States).
- Rothacker, L., Dosseto, A., Francke, A., Chivas, A. R., Vigier, N., Kotarba-Morley, A. M., & Menozzi, D. Impact of climate change and human activity on soil landscapes over the past, years.
- Várallyay, G. (2010). The impact of climate change on soils and on their water management.
- Zhou, M., Xiao, Y., Zhang, X., Sui, Y., Xiao, L., Lin, J., ... & Liu, X. (2023). Warming-dominated climate change impacts on soil organic carbon fractions and aggregate stability in Mollisols. *Geoderma*, 438, 116618.